UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/563,456	01/03/2006	William S Oakley	NSS1P003.US01	8042	
45965 TIPS GROUP	7590 04/01/201	1	EXAMINER		
c/o Intellevate I		ORTIZ CRIADO, JORGE L			
P. O. BOX 520: Minneapolis, M			ART UNIT	PAPER NUMBER	
•			2627		
			MAIL DATE	DELIVERY MODE	
			04/01/2011	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)	
	10/563,456	OAKLEY, WILLIAM S	
Office Action Summary	Examiner	Art Unit	
	JORGE L. ORTIZ CRIADO	2627	
 The MAILING DATE of this communication app Period for Reply 	ears on the cover sheet with the c	orrespondence ad	dress
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be time 17 rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this co D (35 U.S.C. § 133).	
Status			
 Responsive to communication(s) filed on <u>07 Set</u> This action is FINAL. 2b) This Since this application is in condition for allowant closed in accordance with the practice under E 	action is non-final. ace except for formal matters, pro		e merits is
Disposition of Claims			
 4) ☐ Claim(s) 1-3 and 10-25 is/are pending in the ap 4a) Of the above claim(s) is/are withdrav 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-3 and 10-25 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or 	vn from consideration.		
Application Papers			
9) The specification is objected to by the Examiner 10) The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction of the other controls. 11) The oath or declaration is objected to by the Examiner	epted or b) \square objected to by the Edrawing(s) be held in abeyance. See on is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CF	` '
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Applicati ity documents have been receive (PCT Rule 17.2(a)).	on No ed in this National	Stage
Attachment(s)	_		
 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate	

DETAILED ACTION

Response to Arguments

Applicant's arguments filed 09/07/2010 have been fully considered but they are not persuasive.

Applicant argues that the "window" in claim 1 is not provided in the office action. Applicant argues that the elements 70 and 82 in Crew is not a window, because according the Applicant the word "window" provides additional features such as sealing of an evacuated environment and that cannot be read to mean such as "opening".

The Examiner cannot with the Applicant. First the plain broad meaning of a "window" is in fact actually an "opening" contrary to Applicant's assertion. The claims are read in light of the specification without importing limitations from the specification into the claims.

Where applicant would like to acts as his or her own lexicographer to specifically define a term of a claim contrary to its ordinary meaning, the written description must clearly redefine the claim term and set forth the uncommon definition so as to put one reasonably skilled in the art on notice that the applicant intended to so redefine that claim term. The term "window" in claim 1 is interpreted with the broadest reasonable interpretation and with the accepted meaning, which at very least can be encompassed by an "opening.

Contrary to Applicant's assertion the limitation of "a window sealing the end of the housing, the window transmissive to electrons emitted" is provided in the office action as the elements 70 seals the outer periphery end of the housing outlined (72, 74, 76, 86), and further providing a transmissive feature to the electrons by the provided by the aperture 82.

Art Unit: 2627

Furthermore, claim 1 provides nothing about any "evacuated environment" or that the window seals the evacuated environment as argued, this feature is simply not found in claim 1.

However, it is further noted that the features of such "evacuated" environment seems to be provided on claims 12 and 19, addressed previously by the office action as well. Crewe entire system is at vacuum) hence the housing is evacuated as well. Whether the claimed invention intended to refer to provide such vacuum only at the housing portion would be an obvious alternative variation which would require routine skill in the art. In the alternative as in claim 12 or 19 rejected as further in view of Nagai et al. that teaches and discloses such configuration of a housing (10) head enclosing the components such the electron beam source, electrodes etc. at vacuum with the provision of such window (5) that seals evacuated the housing. It would have been obvious to one of an ordinary skill in the art to implement such known alternative arrangement that provides such sealed environment, desirable in the field of endeavor.

Applicant argues that the combination teaches away from the claimed invention.

Applicant asserts that Jin uses electron beams to generate x-rays, which are then used on the recording surface. Applicant argues that Jin or Ikeda provides the window. And that contrast to the claimed invention which uses a carbon nanotube to generate electrons and then uses those electrons for purposes of recording or reading.

It is however noted that the examiner is not relying in Jin or Ikeda to teach the window, since such window, as discussed above, is taught by Crew (e.g. for claim 1) and/or Nagai et al. (e.g. for claim 12). Also, contrary to Applicant's assertion, such "recording or readings" appears

nowhere claimed, in fact there is no single claim of the alleged "claimed invention" that suggest any recording, reading operation, much less how it is actually performed by the claimed apparatus.

Page 4

A prior art reference teaches away from claimed invention if it suggests that developments flowing from its disclosures are unlikely to produce objective of invention, and what the reference teaches a person of ordinary skill in art is not limited to what reference specifically "talks about" or what is specifically "mentioned" or "written" in reference.

In response to applicant's argument that of the other features noted from Ikeda and Jin, the test for obviousness is not whether the features of a secondary reference <u>may be bodily</u> <u>incorporated</u> into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art. See In re Keller, 642 F.2d 413, 208 USPQ 871 (CCPA 1981).

In response to applicant's argument based upon the age of the references, contentions that the reference patents are old are not impressive absent a showing that the art tried and failed to solve the same problem notwithstanding its presumed knowledge of the references. See In re Wright, 569 F.2d 1124, 193 USPQ 332 (CCPA 1977).

In response to Applicant's arguments against claim 17, It would have been obvious to one having ordinary skill in the art at the time the invention was made to use the boron nitride material since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. In re Leshin, 125 USPQ 416. The applicant has not disclosed that the particular

Art Unit: 2627

material solves any stated problem or is for any particular purpose and it appears that the invention would perform equally well with other suitable materials as well.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 23-25 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

Claim 23 recites the limitation "the carbon nanotube heads of the array of carbon nanotube heads are arranged in <u>an offset linear pattern</u>, the offset linear pattern arranged to span a diameter of a rotating medium, the carbon nanotube heads arranged in <u>the offset linear pattern</u> to have overlapping coverage of a rotating medium, the carbon nanotube heads arranged in the offset linear pattern to avoid crosstalk between adjacent carbon nanotube heads of the array of carbon nanotube heads.

The examiner cannot readily ascertain/map with the above claim language where in the specification as originally filed support is found by reference to the drawings, designating the

Art Unit: 2627

part or parts therein to which the term "the offset linear pattern to have overlapping coverage of a rotating medium" applies.

Similarly claim 25 recites the same "the offset linear pattern to have overlapping coverage of a rotating medium" which finds no support in the specification.

The above claims c adds new matter to the disclosure.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-3, 10, 11, 14-15, 18 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Crewe U.S. Patent No. 4,760,567 in combination with Nickel U.S. Patent Application Publication 2003/0007443 or Jin U.S. Pat. No. 7,068,582; further in combination with Ikeda et al. U.S. Patent No. 4,817,053, and further in view of Redlich et al. U.S Pat. No. 3,737,589.

Regarding claim 1, Crewe discloses an apparatus, comprising: an array of electron beam tube cathode heads; and a base (38) upon which the array heads are mounted.

each of the heads including:

a filament, (58) and a tip (60), (as the electron beam source),

a housing surrounding the tube head (72, 74, 76 and 86),

an acceleration electrode mounted at an end of the housing (70),

a deflection member (84) interposed between the acceleration electrode and a tip (60; electron beam source) (fig. 2),

a window (provided by 70 and 82) sealing the end of the housing, the window transmissive to electrons emitted from the carbon nanotube;

The apparatus of Crewe and the claimed apparatus differ in that Crewe teaches a filament mounted on a base, a tip on the filament, whereas the claimed invention claims a substrate upon which the array of carbon nanotube heads are mounted, that the deflection member is claimed as a deflection electrode and a detection electrode mounted on a surface of the window.

Crewe discloses and has the desirability of using the electron beam emission cathodes for obtaining a high ultra compact and high density data storage.

However, in a similar field of the art directed towards electron emission for data storage/retrieval, Nickel disclose an apparatus for data storage having and array carbon nanotubes, a substrate and a carbon nanotube upon which the array of carbon nanotubes are mounted. And/or Jin discloses a substrate (Fig. 2: see upside-down-U-shaped platform on which 21 is mounted); and a carbon nanotube (Fig. 2: element 21; also see col. 4, lines 35-36) on the substrate.

It would have been obvious to one of ordinary skill in the art at the time of the applicant's invention to substitute the tip and filament of the apparatus of Crewe with the carbon nanotube

and substrate of Jin or Nickel, such that the substrate is mounted on the base (38) of Crewe, and to direct emissions of the carbon nanotube. One of ordinary skill in the art at the time of the applicant's invention would have been motivated to use another well-known means for producing an electron beam, using the carbon nanotubes as the electron beam source since in order to provide a higher electron beam directionality that results in an electron beam having increased focus and accuracy, which allows bit size to be reduced, hence by reducing the bit size <u>increases</u> storage density and reduces storage cost. Furthermore, the nanotubes also have a lower material transfer and lower transfer rate increases the effective life of the electron sources.

In addition, the modified apparatus of Crewe in view of Jin or Nickel above, does not expressly disclose a detection electrode mounted on a surface of the window.

However, in a similar field of endeavor, Ikeda discloses a detector (Fig. 2, element 8) mounted on an end of a housing (5), the detection electrode to detect electrons reflected (7) from a recording medium (col. 4, lines 18-40).

It would have been obvious to one of ordinary skill in the art at the time of the applicant's invention to incorporate and mount a detection electrode as taught by Ikeda into the apparatus of Crewe. One of ordinary skill in the art at the time of the applicant's invention would have been motivated to be able detect, and thus read information from a recording medium (col. 4, lines 18-40).

Further, in the same field of endeavor the use of a deflecting member for provision of the same function and purpose of the member (38) of Crewe, that enable the beam to be scanned or positioned radially as desired as deflection electrode is well known as evidenced by For example

Redlich et al.., which discloses electrostatic deflection electrode (7) (Fig. 3) that enable the beam to be scanned or positioned radially as desired.

It would have been obvious to one of ordinary skill in the art at the time of the applicant's invention to incorporate and mount a deflection electrode facilitating and simplifying the positioning of the beam, making the heads smaller and compact.

In regard to claim 2, the combination as outlined above shows that the array of carbon nanotube heads would includes a set (18; 20) of read/write heads (see Crewe).

In regard to claim 3, the combination as outlined above shows that the array of carbon nanotube heads includes independent controls (21,22,23) for each carbon nanotube head (see Crewe).

As per claim 10, the combination as outlined above shows a gating electrode (66 of Crewe).

As per claim 11, the combination as outlined above shows a focus electrode (68 of Crewe).

As per claim 14, the combination as outlined above shows where the substrate is mounted on a base (38 of Crewe).

As per claim 15, the combination as outlined above shows that the carbon nanotubes of the array of carbon nanotubes each have individual housings associated therewith.

Claim 18 and 21, recites limitations similar to the ones treated in the above rejections and are rejected for the same reasons of obviousness as used above.

Application/Control Number: 10/563,456 Page 10

Art Unit: 2627

Claims 12, 13, 17, 19, 20 and 22-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Crewe U.S. Patent No. 4,760,567 in combination with Nickel U.S. Patent Application Publication 2003/0007443 or Jin U.S. Pat. No. 7,068,582; further in combination with Ikeda et al. U.S. Patent No. 4,817,053, and Redlich et al. U.S Pat. No. 3,737,589, and/or further in view of Nagai et al. U.S. Patent No. 5,227,700.

As per claims 12, where in the housing is a vacuum housing (Crewe entire system is at vacuum) hence the housing is vacuum as well. Whether the claimed invention intended to refer to provide such vacuum only at the housing portion would be an obvious alternative variation which would require routine skill in the art. In the alternative claim 12 is rejected as further in view of Nagai et al. discloses such configuration of a housing (10) head enclosing the components such the electron beam source, electrodes etc. at vacuum. It would have been obvious to one of an ordinary skill in the art to implement such alternative arrangement that provides such sealed environment, desirable in the field of endeavor.

As per claim 13, would differentiate from the combination above in that the material for the window is specified (boron nitride), further differentiating from the element 70 + 82 as in the rationale above, where the window could be interpreted as integrated or as a separated and mounted together. For the same reasons as outlined in claim 12 and in view of Nagai et al., the provision of such window (element 5) would provide the vacuum at the housing and it would have been obvious to one of an ordinary skill in the art to implement such alternative arrangement. Furthermore, it would have been obvious to one having ordinary skill in the art at

the time the invention was made to select boron nitride material or any other suitable material, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice.

Claim 17, 19, 20 and 22, recites limitations similar to the ones treated in the above rejections, and are rejected for the same reasons of obviousness as used above.

As per claims 23-25, the combination outlined above as Crew describes having the head array each movable in the radial direction, hence dynamically offset arranged linearly therefore overlapped can be achieved, and covering a span/zone diameter for the rotating medium as depicted in (Fig. 1), stationary within the controlled diameter, where the electron beam deflection is sufficient to span 100 tracks.

Closing Comments/Remarks

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

Application/Control Number: 10/563,456 Page 12

Art Unit: 2627

however, will the statutory period for reply expire later than SIX MONTHS from the mailing

date of this final action.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to JORGE L. ORTIZ CRIADO whose telephone number is

(571)272-7624. The examiner can normally be reached on Mon.-Fri 10:00 am- 6:30 pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Wayne R. Young can be reached on (571) 272-7582. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jorge L Ortiz-Criado/

Primary Examiner, Art Unit 2627